

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	84	@ad<"20000107" and ((ic token smart) adj card) and (allocat\$3 adj memory) and (encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 07:05
L2	15	@ad<"20000107" and ((ic token smart) adj card) and ((allocat\$3 adj memory) same ((transmi\$5 transfer\$6 send\$3 copy\$3 sav\$3 stor\$3) near2 (file data key))) and (encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:53
L3	2	((("5161231") or ("5369760")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:37
L14	1	("5161256").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/04 08:37
L15	463	@ad<"20000107" and ((ic token smart) adj card) and (decrypt\$3 with stor\$3 with (card memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:53
L16	198	@ad<"20000107" and ((ic token smart) adj card) and ((decrypt\$3 with stor\$3 with (card memory)) same ((ic token smart) adj card))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 08:55
L17	178	@ad<"20000107" and ((ic token smart) adj card) and ((decrypt\$3 with stor\$3 with (card memory)) same ((ic token smart) adj card))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/04 08:57
L18	178	@ad<"20000107" and ((decrypt\$3 with stor\$3 with (card memory)) same ((ic token smart) adj card))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/04 08:57
L19	178	@ad<"20000107" and ((decrypt\$3 with stor\$3 with (card memory)) same ((ic token smart) adj card)) same (transmi\$5 transfer\$5 stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/04 08:58
L20	178	@ad<"20000107" and ((decrypt\$3 with stor\$3 with (card memory)) same ((ic token smart) adj card)) same (transmi\$5 transfer\$5 stor\$3 download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/04 09:00
L21	83	@ad<"20000107" and (((decrypts decrypted) with stor\$3 with (card memory)) same ((ic token smart) adj card)) same (transmi\$5 transfer\$5 stor\$3 download\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/03/04 09:00
S1	1	("6073236").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/07 09:59
S2	1	("20040049646").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/07 10:01

S3	1	("5379344").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/07 10:01
S4	8	("3985998" "4204113" "4578567" "4656342" "4683372" "4709137" "4734568" "4742215").PN.	USPAT	OR	ON	2004/06/07 07:19
S5	46	"3985998".URPN.	USPAT	OR	ON	2004/06/02 13:24
S6	35	"4849614".URPN.	USPAT	OR	ON	2004/06/02 13:43
S7	13	"4849614".URPN. and (encrypt\$3 encipher\$3)	USPAT	OR	ON	2004/06/02 13:44
S8	11	("4849614".URPN. and (encrypt\$3 encipher\$3)) and @ad<"20000107"	USPAT	OR	ON	2004/06/02 14:10
S9	139	@ad<"20000107" and (composite adj key)	USPAT	OR	ON	2004/06/03 09:18
S10	24	@ad<"20000107" and (composite adj key) and encrypt\$3	USPAT	OR	ON	2004/06/03 13:24
S11	2	"20010029579".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 15:20
S12	1	("4849614").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/02 16:05
S13	1	((("4849614").PN.) and issuer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/06/03 07:06
S14	1	("20040010718").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/03 07:09
S15	2	((("6321203") or ("6484203")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/03 07:10
S16	37	@ad<"20000107" and (issuer adj key)	USPAT	OR	ON	2005/03/03 13:48
S17	1	"20010029579".pn. and (size near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 11:23
S18	8	@ad<"20000107" and (encrypt\$3 near3 size near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 11:19
S19	22	@ad<"20000107" and (encrypt\$3 with (size near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 11:19
S20	14	(@ad<"20000107" and (encrypt\$3 with (size near3 memory))) not (@ad<"20000107" and (encrypt\$3 near3 size near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 11:19
S21	1	"20010029579".pn. and (encrypt\$3 same (issuer with key)) same (modif\$7 alter\$5 tamper\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 13:21
S22	31	@ad<"20000107" and (encrypt\$3 same (issuer with key)) same (modif\$7 alter\$5 tamper\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 11:35

S23	14	@ad<"20000107" and (encrypt\$3 same (issuer with key)) same (modif\$7 alter\$5 tamper\$3) same (card ICC smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 11:36
S24	1358	"smart phone"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 13:21
S25	58	"smart phone" and (smart adj card) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 13:21
S26	19	@ad<"20000107" and ((ICC ((smart IC) adj card)) same "cell phone")	USPAT	OR	ON	2004/06/03 14:37
S27	168	@ad<"20000107" and ((ICC ((smart IC) adj card)) same read\$3 same phone)	USPAT	OR	ON	2004/06/03 13:29
S28	130	@ad<"20000107" and ((ICC ((smart IC) adj card)) same reader same phone)	USPAT	OR	ON	2004/06/03 13:32
S29	22	@ad<"20000107" and ((ICC ((smart IC) adj card)) same reader same ((wireless cell cellular) adj phone))	USPAT	OR	ON	2004/06/03 13:32
S30	15	@ad<"20000107" and (713/172.ccls.) and (380/284,45,283).ccls.	USPAT	OR	ON	2004/06/03 14:41
S31	158	380/284,285.ccls. and @ad<"20000107"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 15:23
S32	89	(380/284,285.ccls. and @ad<"20000107") and (key with (replac\$3 restor\$3 chang\$3 updat\$3 upgrad\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 15:40
S33	63	(380/284,285.ccls. and @ad<"20000107") and (key near3 (replac\$3 restor\$3 chang\$3 updat\$3 upgrad\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 15:40
S34	60	(380/284,285.ccls. and @ad<"20000107") and (key near2 (replac\$3 restor\$3 chang\$3 updat\$3 upgrad\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 15:52
S35	6	(380/284,285.ccls. and @ad<"20000107") and (key near2 (replac\$3 restor\$3 chang\$3 updat\$3 upgrad\$3)) and ((current old) near key) and ((new next) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 16:02
S36	2	(380/284,285.ccls. and @ad<"20000107") and (((current old) near key) same encrypt\$3 same ((new next) near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/03 16:03
S37	45	("4203166" "4238853" "4281216" "4315101" "4386233" "4578531" "4688250" "4731840" "4771459" "4868877" "4876716" "4910773" "4912762" "5081678" "5146497" "5146498" "5150408" "5164986" "5185795" "5208859" "5299263" "5325432" "5341426" "5349642" "5381479" "5404404" "5418854" "5428738" "5471532" "5481612" "5491750" "5553139" "5553143" "5572528" "5633931" "5651066" "5671414" "5687235" "5692129" "5719786" "5734718" "5818936" "6061799" "6085320" "6311194") .PN.	USPAT	OR	ON	2004/06/03 16:03

S38	3	((("6,393,565") or ("6,434,238") or ("4,972,472"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/06/07 07:19
S39	20	barlow.in. and card and resource	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/06/07 08:24
S59	1	"20010029579".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 09:46
S60	63	@ad<"20000107" and (encrypt\$3 with (memory (size space)) with allocat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 11:25
S61	2	@ad<"20000107" and (encrypt\$3 with (memory adj3 (size space)) with allocat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 09:37
S62	2996	@ad<"20000107" and ((memory adj3 (size space)) with allocat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 09:38
S63	88	@ad<"20000107" and ((memory adj3 (size space)) with allocat\$3) and ((ic smart token) adj card)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 10:50
S64	1	S59 and file adj key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 09:46
S65	1	S59 and ((file access issuer) adj key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 09:46
S66	517	@ad<"20000107" and ((ic smart token) adj card) and (key same encrypt\$3 same compar\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 10:52
S67	32	@ad<"20000107" and ((ic smart token) adj card) and (key same encrypt\$3 same compar\$4 same issuer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 11:10
S84	158	@ad<"20000107" and ("707".clas. 713/189. ccls.) and (smart adj card)	USPAT	OR	ON	2005/03/03 13:49
S85	4	@ad<"20000107" and ("707".clas. 713/189. ccls.) and (smart adj card) and (allocat\$3 adj memory)	USPAT	OR	ON	2005/03/03 13:51
S86	74	@ad<"20000107" and (smart adj card) and (allocat\$3 adj memory) and (encrypt\$3)	USPAT	OR	ON	2005/03/03 13:51
S87	81	@ad<"20000107" and ((ic token smart) adj card) and (allocat\$3 adj memory) and (encrypt\$3)	USPAT	OR	ON	2005/03/04 07:04
S88	482	@ad<"20000107" and barlow.in.	USPAT	OR	ON	2005/03/03 14:01
S89	0	@ad<"20000107" and barlow.in. and smartcard	USPAT	OR	ON	2005/03/03 14:01
S90	3	@ad<"20000107" and barlow.in. and "smart card"	USPAT	OR	ON	2005/03/03 14:08
S91	4	barlow.in. and "smart card"	USPAT	OR	ON	2005/03/03 14:53
S92	1	("5721781").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 15:16
S93	1	S92 and decrypt\$3 and stor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/03/03 15:16